International Journal of Paediatric Dentistry 1993; **3**: 239–240

Author and subject index

Alvesalo, I., Murtomaa, H., Milgrom, P., Honkanen, A., Karjalainen, M., Tay, K.-M. The Dental Fear Survey Schedule: a study with Finnish children, 193
Amir, E., *see* Mann, J.
Angeles-Medina, F., *see* Nuño-Licona, A.
Asher, R.S., *see* Mann, J.

Ball, I.A. Balancing the extraction of primary teeth: a review, 179
Barnard, K.M., *see* Fung, D.E.

Caries in groups of children aged 4–5 and 7–8 years in Khartoum, Sudan, the prevalence of, see Raadal, 9
Cavazos, E., Jr, *see* Nuño-Licona, A.
Chadwick, S.M., Kilpatrick, N.M. Late development of supernumerary teeth: a report of two cases, 205
Cohen, S., *see* Mann, J.
Condylar hyperplasia causing progressive facial asymmetry during orthodontic treatment: a case report, see Eales, 145
Cooper, D.J., *see* Fung, D.E.
Coulter, W.A., Murray, S.D., Kinirons, M.J. The use of a concentrated oral rinse culture technique to sample oral candida and lactobacilli in children, and the relationship between candida and lactobacilli levels and dental caries experience: a pilot study, 17

Dental care habits and dental anxiety, the influence of social and ethnic factors on: a study in Israel, see Fuks, 3
Dental caries and gingivitis, the prevalence of, and their relationship to social class amongst nursery-school children in Nairobi, Kenya, see Masiga, 135
Dental extractions under general anaesthesia, pain reported by children after: a pilot study, see Fung, 23
Dental Fear Survey Schedule: a study with Finnish children, see Alvesalo, 193
Dental health of 12-year-old children living in similar rural communities in France and England, see Lunn, 187
Dentists working under different payment systems in the United Kingdom, frequency of examination of children by, see Mellor, 83
Diazepam, rectally administered, for sedating children before treatment of maxillofacial injuries: report of nine cases, see Lowey, 89

Eales, E., Jones, M.L., Sugar, A.W. Condylar hyperplasia causing progressive facial asymmetry during orthodontic treatment: a case report, 145
Ectodermal dysplasia and anodontia, longitudinal study of jaw growth and prosthetic management in a patient with, see Nomura, 29
Elkhidir Elhassan, F., *see* Raadal, M.
Endocarditis, infective, the prevention of: paedodontic considerations, see Longman, 63

Fissure Sealants, a Policy Document on: British Society of Paediatric Dentistry, 99
Fuks, A.B., Steinbock, N., Zadik, D. The influence of social and ethnic factors on dental care habits and dental anxiety: a study in Israel, 3
Fung, D.E., Cooper, D.J., Barnard, K.M., Smith, P.B. Pain reported by children after dental extractions under general anaesthesia: a pilot study, 23

Gingival injury, self-inflicted, in a 15-month-old infant, see Vaughan, 39
Gingivitis during childhood, factors influencing the susceptibility to: a review, see Matsson, 119
Goodman, J.R., Robertson, C.V. Osteopathia striata: a case report, 151

Halfpenny, W., *see* Lowey, M.N.
Hasegawa, S., *see* Nomura, S.
Hatibovic-Kofman, S., *see* Wright, G.Z.
Hobson, P., *see* Mackie, I.C.
Holan, G. Influence of wearing latex gloves on electric pulp tester readings in children, 199
Holt, R.D., *see* Masiga, M.A.
Honkanen, A., *see* Alvesalo, I.

Infective endocarditis, the prevention of, see Martin, 63
Ishioka, K., *see* Nomura, S.

Jaw growth, longitudinal study of and prosthetic management with ectodermal dysplasia and anodontia, see Nomura, 29
Jones, C.M. Chronic headache and nocturnal bruxism in a 5-year-old child treated with an occlusal splint, 95
Jones, M.L., *see* Eales, E.

Karjalainen, M., *see* Alvesalo, I.
Kilpatrick , N.M., *see* Chadwick, S.M.
Kinirons, M.J., *see* Coulter, W.A.

Latex gloves, influence on electric pulp tester readings in children, see Holan, 199
Lennon, M.A., *see* Mellor, A.C.
Longman, L.P., Martin, M.V. The prevention of infective endocarditis: paedodontic considerations, 63
Lowey, M.N., Halfpenny, W. Observations on the use of rectally administered diazepam for sedating children before treatment of maxillofacial injuries: report of nine cases, 89

Lunn, H.D. Dental health of 12-year-old children living in similar rural communities in France and England, 187

Mackie, I.C., Hobson, P. Factors affecting the availability of sugar-free medicines for children: a survey in the UK, 163
Macleod, R.I., *see* O'Malley, A.M.
Mann, J., Sgan-Cohen, H.D., Asher, R.S., Amir, E., Cohen, S., Sarnat, H. A Treatment Need Index: a pilot study, 129
Martin, M.V., *see* Longman, L.P.
Masiga A., Holt, R.D. The prevalence of dental caries and gingivitis and their relationship to social class amongst nursery-school children in Nairobi, Kenya, 135
Matsson, L. Factors influencing the susceptibility to gingivitis during childhood: a review, 119
Meechan, J.G., *see* Patel, A.V.
Mellor, A.C., Lennon, M.A. Frequency of examination of children by dentists working under different payment systems in the United Kingdom, 83
Milgrom, P., *see* Alvesalo, I.
Murray, S.D., *see* Coulter, W.A.
Murtomaa, H., *see* Alvesalo, I.

Noda, T., *see* Nomura, S.
Nomura, S., Hasegawa, S., Noda, T., Ischioka, K. Longitudinal study of jaw growth and prosthetic management in a patient with ectodermal dysplasia and anodontia, 29
Nuño-Licona, A., Cavazos, E., Jr, Angeles-Medina, F. Electromyographic changes resulting from orthodontic corrections of class III malocclusion, 71

Occlusal splint, chronic headache and nocturnal bruxism in a 5-year-old child treated with, see Jones, 95
O'Malley, A.M., Macleod, R.I., Welbury, R.R. Congenital aplasia of major salivary glands in a 4-year-old child, 141
Operation Belarus: an enquiry into the status of paediatric dentistry, see Wright, 221
Oral candida and lactobacilli in children, the use of a concentrated oral rinse culture technique to sample, and the relationship between candida and lactobacilli levels and dental caries: a pilot study, see Coulter, 17
Østbye, T., *see* Wright, G.Z.
Osteopathia striata: a case report, see Goodman, 151

Patel, A.V., Meechan, J.G., Soames, J.V. Juvenile xanthogranuloma of the oral cavity: a case report, 43
Peretz, B. An unusual hypoplastic premolar: a case report, 211
Pitts, N.B., *see* Russell, M.
Premolar, an unusual hypoplastic: a case report, see Peretz, 211
Primary teeth, balancing the extraction of: a review, see Ball, 179

Raadal, M., Elkhidir Elhassan, F., Rasmussen, P. The prevalence of caries in groups of children aged 4–5 and 7–8 years in Khartoum, Sudan, 9
Radiovisiography: a preliminary subjective assessment in a hospital paediatric dentistry department, see Russell, 77
Rasmussen, P., *see* Raadal, M.
Robertson, C.U., *see* Goodman, J.R.
Russell, M., Pitts, N.B. Radiovisiography: a preliminary subjective assessment in a hospital paediatric dentistry department, 77

Salivary glands, major, in a 4-year-old child, congenital aplasia of, see O'Malley, 141
Sarnat, H., *see* Mann, J.
Sgan-Cohen, H.D., *see* Mann, J.
Smith, P.B., *see* Fung, D.E.
Soames, J.V., *see* Patel, A.V.
Steinbock, N., *see* Fuks, A.B.
Sugar, A.W., *see* Eales, E.
Sugar-free medicines for children, factors affecting the availability of: a survey in the UK, see Mackie, 163
Supernumerary teeth, late development of: a report of two cases, see Chadwick, 205

Tay, K.M., *see* Alvesalo, I.
Treatment Need Index: a pilot study, see Mann, 129

Vaughan, A.G. Self-inflicted gingival injury in a 15-month-old infant, 39

Welbury, R.R., *see* O'Malley, A.M.
Wright, G.Z., Hatibovic-Kofman, S., Østbye, T. Operation Belarus: an enquiry into the status of paediatric dentistry, 221

Xanthogranuloma, juvenile, of the oral cavity: a case report, see Patel, 43

Zadik, D., *see* Fuks, A.B.